

NATIONAL SEARCH & RESCUE MANUAL

February 2026 Edition



Australian Government
Australian Maritime Safety Authority



Written and amended by the National Search and Rescue Council.

First published in 1992 by the Australian Maritime Safety Authority (AMSA) on behalf of the National Search and Rescue Council.

© AMSA 2026

The reproduction of this work in whole or in part is invited for search and rescue purposes provided due acknowledgment is given. You must not use the reproduction for any commercial purpose and retain this copyright notice as part of that reproduction.



A catalogue record for this book is available from the National Library of Australia

ISSN: 2653-2085 (Online)

For further information contact the National Search and Rescue Council Secretariat at:
nationalsarcouncil@amsa.gov.au

2026 EDITION Version 1 – February 2026



Foreword

Search and Rescue (SAR) is a vital national capability—one that embodies our collective commitment to saving lives. Whether on land, at sea, or in the air, SAR operations are often complex, resource-intensive, and time-critical. In Australia, where vast distances, remote terrain, and expansive ocean regions present unique challenges, the importance of coordination and cooperation across jurisdictions and domains cannot be overstated.

Australia's SAR arrangements are designed to complement the efforts of emergency services—police, fire, ambulance and the network of volunteer rescue services —particularly in situations where a cooperative arrangement is required. These include remote inland rescues, maritime emergencies, and aviation incidents, often in environments that demand highly specialised skills and equipment.

The Australian Search and Rescue Region spans approximately 52.8 million square kilometres—covering the continent, surrounding oceans, and the Australian Antarctic territories. This immense area, representing almost one-tenth of the Earth's surface, underscores the need for a unified and strategic approach to SAR. With dedicated SAR assets limited, we rely on the ability to draw upon government, commercial, and private resources through formal arrangements and mutual support.

SAR operations in Australia are frequently conducted jointly by Commonwealth, State, and Territory authorities. This interdependence demands that our procedures, training, and operational standards are harmonised to ensure seamless collaboration. The capacity to act cooperatively—across agencies, jurisdictions, and domains—is not just beneficial; it is essential.

The National Search and Rescue Council plays a central role in fostering this cooperation. Through the Inter-Governmental Agreement on National Search and Rescue Response Arrangements, reaffirmed in 2017, Ministers across all levels of government endorsed the Council's leadership in coordinating SAR policy and practice. This Manual, sponsored by the Council, is a key instrument in that mission.

By documenting standardised techniques and procedures, the National Search and Rescue Manual enables SAR authorities to work together with clarity and purpose. It is a tool for building interoperability, enhancing capability, and ultimately, saving lives. In an environment of finite resources and growing complexity, our strength lies in unity—across land, maritime, and aviation domains, and across all levels of government and industry.

Together, we remain committed to a coordinated, cooperative, and effective national SAR system.

Alex Barrell

Chair

National Search and Rescue Council

Introduction

This National Search and Rescue Manual is the result of the recent merger of the aviation, maritime and land search and rescue (SAR) manuals and is the standard reference document for use by all Australian SAR authorities. It is promulgated by the National SAR Council operating under direction from relevant Commonwealth, State and Territory Ministers. The Manual promulgates SAR coordination procedures for SAR operations conducted within Australia and the Australian SAR Region (SRR).

The manual is consistent with the relevant International Conventions to which Australia is a party and is supplemented by various legal, informative and instructional documents used within, and between, organisations concerned with search and rescue. It has been developed with due regard to the International Aviation and Maritime Search and Rescue Manual (IAMSAR).

The National SAR Manual meets the requirements of international conventions for an Australian Search and Rescue Plan, and includes material covering:

- a) Abbreviations, terminology and definitions relevant to SAR practitioners
- b) The elements and functions of the Australian SAR system
- c) Details of communications, assets and procedures for coordination
- d) SAR planning and techniques including worksheets

The National Search and Rescue Manual acts as a set of procedures and guidelines in providing a search and rescue response within Australia. It is understood that the knowledge and experience of officers can extend beyond what is covered within this manual and therefore initiative should be used accordingly in search and rescue operations. It is, however, necessary to follow the guidelines outlined within this manual as closely related to the circumstances presented and keep all relevant parties well informed throughout the process. Officers should be prepared to justify their actions if necessary. When developing Standard Operating Procedures (SOP) at the organisational level, care should be taken to ensure that procedures are written consistent with the National SAR Manual. Should an SOP be identified, that may be of benefit to the wider SAR community, it is recommended that the issue be raised with the National SAR Council so that inclusion of the procedure into the National SAR Manual can be considered.

The National SAR Manual is promulgated online for the use of all search and rescue practitioners. The Internet version is the controlled document and is the latest version of this manual. The online version should always be referred to as it contains the most up to date information.

Suggestions and questions regarding this Manual should be forwarded to:

The Secretariat of the National SAR Council:

NationalSARCouncil@amsa.gov.au

Suggested amendments to the National SAR Manual will be considered by NATSAR Council.

NATSAR Council is the owner of the National SAR Manual and all changes must be endorsed by NATSAR Council.

Defence Letter of Promulgation

UNCLASSIFIED



CHIEF OF JOINT OPERATIONS

Headquarters Joint Operations Command

AM3290753

Mr Toby Stone

Chairman, National Search and Rescue Council
Australian Maritime Safety Authority

Dear Mr Stone,

ADF ENDORSEMENT OF THE NATIONAL SEARCH AND RESCUE MANUAL

The Australian Defence Force (ADF) has a long and proud history of conducting Search and Rescue (SAR) operations in support of the civil community. Through our long-running involvement with the National SAR Council, we are fortunate to have developed highly effective relationships with both the Australian Maritime Safety Authority, and the State and Territory police forces. As a previous Commander of [then] Border Protection Command, I have witnessed first-hand the expertise and dedication of Australian SAR professionals under the most challenging circumstances.

The SAR mission is one of utmost importance to the Soldiers, Sailors and Airmen of the ADF. As their Operational Commander I remain committed to the provision of military support if and when it is required. I commend you on the continued success of the National SAR Council and on the proficient realisation of the National SAR Plan. Further, I recognise the high quality of the National SAR (NATSAR) Manual and the important role it plays in coordinating inter-departmental operations. The NATSAR Manual is an authoritative instruction on SAR best practice, and as such I have directed that it be accepted by the ADF as the standard procedural guide for the conduct of ADF SAR operations.

Yours sincerely,



DL Johnston, AM
DL Johnston, AM
Vice Admiral, RAN
Chief of Joint Operations

DL Johnston, AM
DL Johnston, AM

B1-1-J001
Department of Defence
PO BOX 7928
CANBERRA ACT 2610
(02) 6128 4000, fax (02) 6128 4020

21 December 2017

Table of Contents

Foreword	1
Introduction.....	2
Defence Letter of Promulgation	3
Table of Contents	4
Acronyms and Abbreviations	19
Glossary	26
Volume 1 - Search and Rescue Administration	35
Chapter 1 SAR System Organisation.....	35
1.1. Organisation	35
Global SAR System Organisation	35
National and Regional SAR System Organisation	35
Australian Maritime Safety Authority (AMSA)	36
State and Territory Governments.....	37
Australian Defence Force Responsibilities – Military SAR	38
Headquarters Joint Operations Command	38
Airservices Australia	38
Other Commonwealth Agencies/Authorities	39
Bureau of Meteorology (BOM).....	39
National Emergency Management Agency (NEMA).....	39
Maritime Border Command.....	39
Australian Communications and Media Authority (ACMA).....	40
Australian Transport Safety Bureau (ATSB).....	40
Civil Aviation Safety Authority (CASA)	40
Volunteer Organisations.....	40
Commercial and Private Organisations	40
Aerodrome Emergency Plans (AEPs)	40
1.2. SAR Coordination.....	41
Overview.....	41
Alerting Post	41
Determination of SAR Authority Responsible for Overall Coordination	42
Initial Response.....	42
SAR Authority Best Placed to Coordinate.....	42
Effective Consultation and Coordination.....	43
Cooperation with Foreign Rescue Coordination Centres	43
Transfer of Coordination	44
Requesting JRCC Australia Assistance	47
1.3. Requesting State / Territory SAR Authority Assistance.....	48
Requests for Defence Assistance (DACC)	48
Defence Requests for Civil Assistance	49

1.4. Australian Search and Rescue Region.....	49
1.5. SRR Coordinates.....	50
1.6. Australian States and Land Search Area.....	51
Chapter 2 SAR Management	52
2.1. Overview.....	52
SAR Authority Responsibilities.....	52
Forward Command Post	53
RCC/Field Search Headquarters (FSH) Staff.....	54
Search and Rescue Roles	55
2.2. Search and Rescue Resources.....	58
Overview.....	58
Personnel.....	59
Drop-Masters, Dispatchers and Observers.....	59
Rescue Preparation.....	60
2.3. Public Relations.....	60
Overview.....	60
Operations involving two or more SAR Authorities	61
Public Relations Officers (PRO's)/Media Officers (MO).....	61
Press Releases.....	61
Requesting Public Assistance.....	62
Liaison with Relatives	63
Notification of Next of Kin	63
Casualties	63
2.4. Other Emergency Assistance and Services available from JRCC Australia	64
General	64
Maritime Safety Information	64
Unlawful Acts.....	64
Chapter 3 Training and Exercises	66
3.1. Requirements for SAR Training.....	66
Training	66
Who to Train.....	66
Requirement for Training	66
3.2. National Training Framework	66
Qualifications.....	66
Public Safety Training Package; Police Training Package	67
AMSA Training	67
The National Search and Rescue Manager's Course	67
State/Territory SAR Authority Training	68
3.3. Search and Rescue Exercises	68
3.4. Training of Search and Rescue Assets	68
Land SAR Training	68
Search and Rescue Crew Training.....	69

Drop-Master and Dispatchers	69
Air Observer Training.....	69
Aviation Search and Rescue Assets (SRA).....	69
First Aid Training.....	69
Map Reading and Navigation	70
Radio Operating Procedures.....	70
Field craft.....	70
Observation Skills.....	70
Observation Skills-Day	70
Team and Individual Skills.....	71
Searchers	72
Search Team Leaders/On-Scene Commanders	72
3.5. Photographic Records.....	73
3.6. Liaison Visits.....	73
Volume 2 - Search and Rescue Operations	74
Chapter 1 Communications.....	74
1.1. Aviation and Maritime	74
Overview.....	74
1.2. Distress and Emergency Signals.....	74
Maritime Radio Alarm Signal	74
Radiotelephone Distress Signal	75
Radiotelephone Urgency Signal.....	75
Radiotelephone Safety Signal	75
Radiotelephony Distress/Emergency Frequencies	75
GMDSS Distress, Urgency, Safety and Calling Frequencies	75
2182 kHz	75
4125, 6215, 8291, 12290 and 16420 kHz	76
121.5 MHz.....	76
156.8 MHz (Marine VHF Channel 16)	76
243 MHz.....	76
Safety Frequencies.....	76
1.3. Global Maritime Distress and Safety System (GMDSS)	76
1.4. Emergency Signalling Devices.....	77
Daylight Devices.....	77
Night Vision Imaging Systems (NVIS) for aviation searching	77
RADAR/IFF/SSR	78
Radio and Distress Beacons	78
1.5. COSPAS-SARSAT Distress Beacon Detection System	78
Overview.....	78
Purpose	79
Satellites	79
Beacon Detection	80
Beacons.....	80

1.6. Other Types of Distress Alerting Devices.....	81
SPOT Personal Satellite Messenger device (SPOT).....	81
AIS-SART.....	81
Maritime Survivor Locating Systems. VHF DSC Maritime Survivor Locating Devices (MSLD).....	81
Thuraya Satellite Devices.....	82
1.7. SAR RADAR Transponder (SART)	82
Overview.....	82
1.8. Communications in Support of SAR Operations.....	83
Overview.....	83
SAR Frequencies	83
SAR Call Signs.....	83
1.9. Communications Facilities	84
Overview.....	84
Communications Capabilities Australian Defence Force Ships and Aircraft	84
Search and Rescue Visual Signals	85
Merchant Shipping and GMDSS.....	85
Limited Coast Radio Stations	86
Ship Stations	86
Fishing Vessels	86
Pleasure Craft	87
Volunteer Organisations.....	87
Communication Capabilities of State & Territory SAR Authorities	87
Communications Aircraft.....	87
Inmarsat Aero	88
1.10. Land Search Communications	88
Overview.....	88
1.11. Communications.....	89
1.12. Communications Officer.....	89
1.13. Communication Requirements.....	89
1.14. Headquarter Requirements.....	89
1.15. Telephone/Radio	90
1.16. Rear Net.....	90
1.17. Forward Net.....	90
1.18. Frequencies.....	91
1.19. Radios in general	91
1.20. Procedures and Practices	92
1.21. Other Methods of Communications.....	92
Chapter 2 Awareness and Initial Action	94
2.1. Awareness Introduction	94
2.2. Types of SAR Incidents.....	94
Maritime SAR Incident.....	95

Aviation SAR Incident	95
Land SAR Incident	96
2.3. Recording of Events	96
2.4. SAR Stages	96
2.5. Awareness and Initial Action Stages (Stage 1 and 2).....	97
Types of Notification Reports	97
Evaluation of Notification Reports	98
Information: SAR Incident Information	98
Advising States of Foreign Persons in Distress	102
2.6. Emergency Phases	102
Uncertainty Phase.....	102
Alert Phase.....	103
Distress Phase.....	103
2.7. Initial Action: Procedures of the Emergency Phases	104
Overview.....	104
Uncertainty Phase Initial Action	104
Alert Phase Procedures	105
Distress Phase Procedures.....	107
2.8. Intelligence Gathering and Assessment	108
Overview.....	108
Communication Checks	108
Intelligence gathering.....	110
Sighting and Hearing Reports	113
Coordination with the Police	115
Examination of Recorded Communications - Aircraft and vessels.....	115
Flight Path Analysis - Aircraft.....	115
Weather Analysis.....	115
Logistical Information	115
General Considerations for the SMC	116
Chapter 3 Search Planning and Evaluation.....	120
3.1. Aviation and Maritime Search Planning	120
Overview.....	120
3.2. Aviation and Maritime Search Planning Steps	120
Evaluating the Situation.....	121
Estimating the Distress Incident Location	121
Datum Considerations	122
Drift Considerations.....	122
3.3. Search Response Stages	123
Factors Affecting the Search Response Plan	124
3.4. Aviation and Maritime Basic Search Planning	125
Controlling Factors.....	126
Search Effort Expenditure Rate	127

Maximum Search Effort	127
Search Sequence.....	127
3.5. Aviation and Maritime Determination of Search Areas	129
Aviation and Maritime Planning	129
Possibility Area.....	129
Calculation of Circles of Probability.....	132
Probable Errors of Position.....	132
Search Radius (R)	133
Drift Error for Waterborne Targets.....	133
Currents	134
Leeway	137
Divergence.....	137
Calculating Leeway	137
Plotting Drift	139
Datum Plot.....	139
Drift Error (De).....	140
Search Area Based on Non-Moving Datum	140
Search Based on Moving Datum.....	141
Labelling the Datum.....	142
Consideration of Possible Courses of Action by the Captain of the Target.....	144
3.6. Coastal Search Planning.....	144
Search Area.....	144
Position Uncertainty	147
Track Line Overdue Incident.....	147
Recomputed Datum.....	148
Track Spacing	150
3.7. Land Search Planning.....	151
Overview.....	151
3.8. Incident Command	152
3.9. Situational Awareness	152
3.10. Conducting an Appreciation	153
Definition	153
Sequence	153
Phases	153
Aim.....	154
Limitations	154
Written Statement.....	154
Factors	154
Examination	154
3.11. Courses Open.....	155
Plan	155
Planning Principles.....	156
Keep it simple	156

Relate to the Aim	156
Logical deductions	156
Land Search Planning.....	156
Scenario-based Assessment (SCENARIO)	157
Factors Influencing Discovery	158
Analyse possible land strategies.....	158
Raise land search strategies	158
Identify priority land search area	158
Ongoing reassessment of land search.....	158
Search Urgency Assessment (SUA)	159
3.12. Terrain Factors.....	159
3.13. Land Environments	160
Rainforest.....	160
Alpine Environment	163
Arid Environment.....	164
Mountain Environment	166
Dangerous Animals.....	172
Telephone Triangulation.....	173
Land Search Planning.....	174
Reflex Search	174
3.14. Formal Search (Land)	175
Theoretical Search Strategy (Naismith’s Rule)	175
Statistical Strategy (Lost Person Behaviour).....	177
3.15. Subjective/Decision Point Strategy (Land)	179
Decision Points.....	180
3.16. Deductive Strategy (Land)	182
Using all four Formal Search Strategies.....	182
3.17. Recording of search areas (Land)	191
Behaviour of Lost People	198
Mass Casualty SAR Incidents	201
Urban SAR (USAR).....	202
Coordination	202
Initial Actions	202
Working under or within a MIR	203
MIR Liaison Officer.....	203
Field Search Headquarters.....	203
Searching	204
Land Search problems	205
Search Area Delineation	206
Tasking sheets.....	208
Briefings	208
Record Keeping.....	209
Passive Searching.....	211
Chapter 4 Search and Rescue Techniques.....	211

4.1. Aviation and Maritime Search Operations	211
Overview.....	211
4.2. General Guidelines for Searches	212
Stage One Search: Immediate response.....	212
Stage Two Search: Nominated Area Either Side of Track.....	213
Stage Three Search: Mathematically Derived Area	214
4.3. Aviation and Maritime Search Area Coverage	214
General	214
Sweep Width (W): Factors affecting Sweep Width	215
Track Spacing (S).....	220
Coverage Factor (C)	221
Aviation and Maritime Probability of Detection (POD).....	221
4.4. Navigation of SAR Assets (Aviation and Maritime)	223
4.5. Visual Search Patterns (Aviation and Maritime).....	224
General	224
Parallel Track Search Pattern.....	225
Creeping Line Patterns.....	227
Track Line Search	227
Expanding Square Search	228
Sector Search	230
Aural Search by Surface Craft	232
Coastal Search (Islands and their Foreshores).....	233
Contour Search by Aircraft	233
Mountainous or Rugged Terrain Searches	236
Line Abreast Helicopter Searches.....	236
Aviation and Maritime Search Considerations.....	236
4.6. Flare Searches.....	237
4.7. Electronic Searches.....	238
Distress Beacons	238
Maximum Radio Signal Range Calculations	241
Signal Heard, Signal Fade Plotting Method	241
De-tuning Method	242
Hill Shading	242
Locating a Signal from the Ground	242
Search by RADAR	243
Search by Infrared (IR) Devices.....	245
Night Vision Imaging Systems.....	245
4.8. Aviation and Maritime SAR Asset Selection and Characteristics.....	246
Overview.....	246
Aviation Assets.....	246
Australian Defence Force Aviation Assets	249
Customs and Border Force Aircraft	249
Maritime Assets.....	249

Naval Vessels	250
Customs Vessels	250
Use of Merchant Shipping	251
Equipment for Marine Craft	251
Land Search Facilities.....	251
4.9. Aviation and Maritime Search Asset Allocation	252
Introduction.....	252
Aircraft Capability	252
Calculation of Search Time Required.....	252
Calculation of Search Time Available.....	253
Investigation Time	254
Effective Search Time	254
Comparison of Search Time Required and Time Available for Search Aircraft	255
Allocation Variations to Suit Particular Aircraft.....	256
Allocation Chart Presentation	257
4.10. SAR Crew Briefing	257
General	258
Search Briefing.....	258
Search Aircrew Briefing	259
Search Aircraft Operations	260
Communications Relay Aircraft	261
Top Cover Aircraft.....	261
Maritime Search Crews.....	261
Land Assets in Aircraft Search	262
4.11. SAR Crew Debriefing.....	263
Overview.....	263
4.12. Land Search Operations.....	263
Overview.....	263
4.13. Land Search Assets	264
Land Assets	264
Land Search using Maritime Assets	269
Land Search Considerations for Aviation Assets	269
Land Search Action Plan	272
General Search (Land SAR)	275
Contact Search (Land SAR)	275
4.14. Land Search Area Coverage	276
Land SAR Target Type	278
Land SAR Meteorological Visibility	278
Type of Terrain/Conditions.....	278
Land Search Speed.....	278
Cloud Cover and Sun Light.....	279
Land SAR First and Last Search Light	279
Land SAR Probability of Detection.....	280
Visual Horizon: Ankle Rule (Land SAR).....	280

Area Swept (Land SAR)	280
Accuracy of Navigation by Land Search Teams	281
Land SAR Night Searching	281
Searching in Hazardous Areas	282
Police Divers.....	283
Using Police Divers for SAR.....	285
4.15. Land Search Patterns	286
Common Land Search Patterns	287
4.16. Clue Recognition and Interpretation	300
General Principles.....	300
4.17. Land Search Briefings.....	302
Preparation	303
Mattson Consensus	308
Chapter 5 Rescue Planning Operations	309
5.1. Rescue General	309
5.2. Medical Assistance	310
5.3. Aircraft Accidents	310
Health Hazards.....	311
5.4. Land Rescue	311
Avoidance of Danger	312
5.5. Maritime Rescue.....	313
Use of Rescue Boats and Vessels.....	313
Marking Targets.....	314
5.6. Rescue Assets.....	315
Use of Aircraft for Rescue.....	315
Use of Helicopters for Rescue.....	315
Use of Top Cover Aircraft with Rescue and MEDEVAC Helicopters	316
5.7. Supply Dropping and Delivery of Survival Equipment.....	316
Civil SAR Equipment.....	316
Supply Drop from Aircraft over Sea.....	317
Supply Drop from Helicopter over Sea	317
Supply Drop from Aircraft over Land.....	317
Chapter 6 Conclusion of SAR Operations	319
6.1. Conclusion General.....	319
6.2. Conclusion of a search when the target has been found	319
6.3. Suspension of a search when the target is not found	319
6.4. Reopening a Suspended Search.....	321
6.5. Pausing a Search	321
6.6. Records and Reports.....	322
6.7. Incident Debriefs	322

Conducting the Debrief.....	324
Lesson for improvement.....	324
6.8 Case Studies.....	325
6.9 Peer Reviews.....	325
Chapter 7 Medical Factors.....	327
7.1. General	327
7.2. Time Frame for Survival (TFFS)	327
7.3. Survivor Stress Factors.....	327
7.4. Survival Environment Factors	327
7.5. Hypothermia.....	328
7.6. Water Hypothermia	328
7.7. Wind Hypothermia	331
7.8. Wind Chill.....	332
7.9. Hypothermia Survivability	333
7.10. Wet-Chill Survivability.....	333
7.11. Water Immersion.....	334
7.12. Effects of Alcohol	334
7.13. Hyperthermia, Heat Stress and Dehydration	335
7.14. Heat Exhaustion.....	335
7.15. Heat Stroke	336
7.16. Hyperthermia Survivability	337
7.17. Terrain Factors.....	340
7.18. Seeking Medical Advice	340
Appendices	341
Appendix A – Intergovernmental Agreement	342
Appendix B – National SAR Responsibilities.....	351
Appendix C – National Operational Procedure for Transfer of Coordination	355
Overview.....	355
Guidelines for Procedure to transfer coordination	356
State / Territory SAR Authority Points of Contact	357
Transfer of Coordination Information Exchange Requirements	357
Example: Transfer of Coordination information.....	358
Appendix D	360
Overview.....	360
Appendix D-1 Distress Emergency Signals.....	361
Overview.....	361
International Distress Signals	361

Search and Rescue Signals – Australian Area	361
Civil Air-Ground Code	362
International SAR Signals	363
Appendix D-2 Maritime SAR Recognition Code (MAREC)	364
Overview.....	364
Part 1 – Merchant Vessels	364
Complete example Merchant Ship	369
Part 2 – Small Craft	370
Complete Example: Motor Boat	377
Complete Example: Sailing Boat	378
Appendix D-3 Plotting Symbols	379
Appendix D-4 Sighting and Hearing (SHR) Techniques.....	380
Listening Techniques	380
Open Questions	380
Closed Questions	380
Leading Questions	380
Instructions for Completing Sighting and Hearing Reports	381
Sighting and/or Hearing Report for Missing Aircraft.....	382
Sighting and Hearing Report – Generic	383
Sighting and/or Hearing Log	384
Appendix D-5 Tables and Graphs	385
Overview.....	385
Local Wind Current.....	385
Leeway Tables (kt)	385
Sweep Width Tables for Visual Search Over Water.....	385
Sweep Width Tables for Visual Search Over Land:.....	385
Probability of Detection.....	385
Local Wind Current.....	386
Leeway Tables (kt).....	387
Taxonomy Class Definitions/Descriptions	388
Probability of Detection	396
Sweep Widths and Correction Factors	397
Sweep Width Tables for Visual Search over Water	397
Weather Correction Factors for all Types of Search Facilities.....	398
Uncorrected Visual Sweep Widths for Merchant Ships (NM)	398
Uncorrected Sweep Widths for Fixed-Wing Aircraft (NM) at 500 ft and 1000 ft.....	400
Weather Correction Factors for all Types of Search Facilities.....	401
Uncorrected Sweep Widths for Fixed-Wing Aircraft (NM) at 1500 ft and 2000 ft.....	402
Weather Correction Factors for all Types of Search Facilities.....	403
Uncorrected Sweep Widths for Helicopters (NM) – Maritime 500 ft and 1000 ft.....	404
Weather correction factors for all types of search facilities	405
Uncorrected Sweep Widths for Helicopters (NM) - Maritime 1500 ft and 2000 ft.....	406

Weather correction factors for all types of search facilities	407
Fixed-wing Aircraft Search Facilities	407
Sweep Width Tables for Visual Search Over Land	408
Correction Factors – Vegetation and High Terrain	408
Appendix D-6 Probable Errors of Position	409
Probable Navigation Error of the Target (x)	409
Probable Navigation error of the Search Craft (y)	410
Appendix D-7 Maritime and Aviation Worksheets	411
Overview	411
Worksheet 1 – Maritime Planning	412
Worksheet 2 – Maritime Search by Aircraft	413
Worksheet 3 – Land Search by Aircraft	414
Worksheet 4 – Search Radius	415
Worksheet 5 – Sector Search	416
Worksheet 6 – Aircraft Allocation	417
Worksheet 7 – Asset Allocation	418
Worksheet 8 – Maritime Search by Vessel	419
Appendix D-8 Aircraft Accident Site Precautions	420
Safety Precautions and Procedures at Aircraft Accidents	420
Appendix D-9 Civil Aircraft Search and Rescue Assets (SRAs)	421
AMSA Aircraft Tier SRA Capability Definitions	421
Tier 1 SRAs	421
Opportunity Based SAR Services	422
Current Aircraft and Police Fixed-Wing Operators	422
Air Search Observer Programme	422
Air Search Equipment	422
Locations of Tier 1, 2 Assets	423
Appendix D-10 Coastal Datum Search and Rescue Planning	425
A Step-By-Step Guide for SAR Trained Personnel	425
Vessel Adrift	425
Position Uncertainty	430
Time Uncertainty	434
Track Line Overdue	438
Multiple Winds	447
Multiple Current and Winds	449
Appendix E	452
Overview	452
Appendix E-1 Search Urgency Assessment Form	453
Appendix E-2 Missing Person Questionnaire	455
Appendix E-3 Object Questionnaire	456
Appendix E-4 Land SAR Checklist	457

Appendix E-5 Lost Person Behaviour.....	460
Overview.....	460
Lost Person Behaviour Definitions.....	460
Children 1-3 years.....	462
Children 4-6 years.....	463
Children 7-12 years.....	464
Youth 13-15.....	465
Despondent/Suicidal.....	466
Psychological Illness.....	468
Developmental Problems.....	469
Alzheimer’s/Dementia.....	470
Hikers/Walkers.....	471
Hunters.....	472
Climbers.....	473
Prospectors.....	474
ADD, ADHD, Asperger’s, Autism.....	475
First Nation People.....	476
Appendix E-6 Land Search Planning Tables.....	477
Land Search Planning Tables.....	477
Searcher Speed.....	477
Searcher Spacing.....	477
ATNPS Calculations.....	477
Land Search Area Quick Reference.....	478
Land Air Search Planning Table.....	478
Vegetation Correction Factor (Ve).....	478
Cloud cover correction factor.....	479
Appendix E-7 Additions to Naismith’s Rule.....	480
Naismith’s Land Speed / Time Calculations.....	480
Transters Corrections.....	480
Appendix E-8 Land SAR Probability of Detection (Land).....	481
Caveat.....	481
Area to be Search (AS).....	481
Area swept (AW).....	481
Coverage Factor (C).....	481
Probability of Detection (POD).....	482
Appendix E-9 Mattson Consensus.....	486
Overview.....	486
Mattson Consensus Worksheet.....	486
Appendix E-10 Land Search Organisation Chart Example.....	487
Appendix E-11 Field Search Headquarters Layout Example.....	488
Appendix E-12 Search Communications Network Example.....	489
Appendix E-13 Clue Recognition.....	490

General Principles:.....	490
Tracking Skills.....	490
Trail signs	490
Sight	491
Appendix E-14 SAR Tasking Sheet Example.....	492
Task sheet example	492
Appendix E-15 Search for Skeletal Remains.....	493
Overview.....	493
Two search methods are recommended for skeletal searching	494
Bone characteristics.....	495
Plant growth on bones	498
Fungal growth on bones	501
Predator damage to bones	501
Appendix E-16 Peer Review Form Example.....	502
Overview.....	502
Peer review form	502
Appendix E-17 Body Flotation Information	504
Overview.....	504
Issues that will affect floatation times.....	504
Appendix F - Aircraft Electronic Night Search Guidance	506
Definitions.....	506
General Considerations	506
Aircraft and equipment factors	506
Survivor factors.....	507
Search planning factors	508
Surface unit support	510
Circle Search technique - General guidance.....	510
Index.....	512

Acronyms and Abbreviations

Acronym/ Abbreviation	Meaning
A	Area or search area
ACMA	Australian Communications and Media Authority
ACFT	Aircraft
AFTN	Aeronautical fixed telecommunications network
ADF	Australian Defence Force
ADFLO	Australian Defence Force Liaison Officer
AEP	Aerodrome Emergency Plan
AGL	Above Ground Level
AIP	Aeronautical Information Publication
ALRS	Admiralty List of Radio Signals
AIS	Automatic Identification System
AIS-SART	AIS Search and Rescue Transmitter
AM	Amplitude modulation
AMVER	Automated Mutual-assistance Vessel Rescue
AMSA	Australian Maritime Safety Authority
AMSL	Above Mean Sea Level
A/SMC	Assistant Search and Rescue Mission Coordinator
ASH	Actual Search Hours
ASRK	Air Sea Rescue Kit (RAAF)
ATA	Actual time of arrival
ATC	Air Traffic Control
ATD	actual time of departure
ATS	Air Traffic Services
ATSB	Australian Transport Safety Bureau
AUMCC	Australian Mission Control Centre
AULUTE	Australian Local User Terminal East
C	Coverage Factor
CAO	Civil Aviation Order
CAR	Civil Aviation Regulations
CASA	Civil Aviation Safety Authority
CASR	Civil Aviation Safety Regulations
C/C	Cabin cruiser
CES	Coast Earth Station (Inmarsat) see also LES
CRS	Coast radio station

Acronym/ Abbreviation	Meaning
CSP	Commence Search Point
CSS	Coordinator surface search (maritime)
CTAF	Common Traffic Advisory Frequency
D	Datum
D	Diameter
DACC	Defence Aid to the Civil Community
De	Total drift error
DCJOPS	Deputy Chief Joint Operations
DCS	Defence Communications Station
DF	Direction finding
DR	Dead-reckoning
Dre	Dead-reckoning error
DGPS	Differential GPS
DSC	Digital selective calling
dwt	Dead weight tonnes
E	East longitude
E	Total probable error of position
EGC	Enhanced Group Call
ELR	Extra-long-range aircraft
ELT	Emergency locator transmitter
EO/IR	Electro-Optic/Infrared
EPIRB	Emergency position indicating radio beacon
ERSA	En Route Supplement Australia
ETA	Estimated time of arrival
ETD	Estimate time of departure
FCP	Forward Command Post
FFB	Forward Field Base
F/V	Fishing vessel
Fig	Figure
FIR	Flight information region
FLIR	Forward looking infrared
FM	Frequency modulation
FSH	Field Search Headquarters
Ff	Fatigue Factor
Fs	Safety Factor
Ft	Feet

Acronym/ Abbreviation	Meaning
Fw	Weather Factor
GHz	Gigahertz
GMDSS	Global Maritime Distress and Safety System
GNSS	Global Navigation Satellite System
GPS	Global positioning system
GS	Ground speed
gt	Gross tonnes
h	Hours
HDG	Heading
HPA	Hectopascals
HEL-H	Heavy helicopter
HEL-L	Light helicopter
HEL-M	Medium helicopter
HF	High frequency
HQAC	Headquarters Air Command (Air Force)
HQJOC	Headquarters Joint Operations Command
IAMSAR	International Aeronautical and Maritime Search and Rescue
I/B	Inboard motor
ICAO	International Civil Aviation Organization
IERCC	International Emergency Response Coordination Centre
IFER	In Flight Emergency Response
IFR	Instrument Flight Rules
IGA	The Inter-Governmental Agreement (IGA) on National Search and Rescue Response Arrangements
IMO	International Maritime Organization
IR	Infrared
Inmarsat Ltd	International Maritime Satellite Organisation – formally the international Maritime Satellite Organisation
INS	Inertial Navigation System
INTERCO	International Code of SIGNALS
IPP	Initial Planning Point
JCC	Joint Control Centre (ADF)
JRCC	Joint (aeronautical and maritime) Rescue Coordination Centre
JOSS	Joint Operations Support Staff
KHz	Kilohertz
Km	Kilometre (1000 metres)
Kph	Kilometres per hour

Acronym/ Abbreviation	Meaning
kt	knot (nautical mile per hour)
L or l	Length
LCRS	Limited Coast Radio Station
LED	Light Emitting Diode
LES	Land Earth Station (Inmarsat) synonymous with CES
LHQ	Land Headquarters (Army)
LKP	Last Known Position
LPB	Lost Person Behaviour
LRG	Long range
LO	Liaison officer
LUT	Local user terminal
LW	Leeway
m	Metres
M	Degrees magnetic
MAREC	Maritime SAR recognition code
MASTREP	Modernised Australian Ship Tracking and Reporting System
MAYDAY	When repeated three times, this forms the distress call. Any subsequent messages including self-identification, position, nature of distress and other useful information, forms the <i>distress message</i> .
MAX	Maximum
MBC	Maritime Border Command
MBZ	Mandatory Broadcast Zone
MCC	Mission Control Centre
MCS	Maritime Communications Station
MEDEVAC	Medical evacuation
MF	Medium frequency
MIN	Minimum
MHQ	Maritime Headquarters (Navy)
MHz	Mega Hertz
MMSI	Maritime mobile service identity
MPD	Miles per day
MP	Missing Person
MPP	Most probable position
MRG	Medium range
MSC	Marine supply container (RAAF)
MSI	Maritime safety information
MSLD	Maritime Survivor Locating Devices

Acronym/ Abbreviation	Meaning
MSLS	Maritime Survivor Locating Systems
M/V	Motor Vessel
MTS	Mean track spacing (sector search)
n	Number of required tracks spacings
N	North Latitude
N	Number of searchers
NAVAREA X	Navigational warning area X(ten)
NAVTEX	Is not provided in Australia
NBDP	Narrow-Band Direct Printing
NEMA	National Emergency Management Agency
NM	Nautical mile
NOTAM	Notice to airmen
NOK	Next of Kin
NVD	Night Vision Devices
NVG	Night Vision Goggles
NVIS	Night Vision Imaging System
O/B	Outboard motor
OSC	On-scene coordinator
P	Pacing (Land Search speed)
PAW	Police Air Wing
P/C	Pleasure craft
PIW	Person in water
PLB	Personal locator beacon
PLS	Position Last Seen
POA	Probability of Area
POB	Persons on board
POD	Probability of detection
POM	Period of Mobility
PPE	Personal Protective Equipment
PR	Public relations
R	Radius
RAAF	Royal Australian Air Force
RADAR	Radio detection and ranging
RAN	Royal Australian Navy
RA-Aus	Recreational Aviation Australia
RB	Rescue boat

Acronym/ Abbreviation	Meaning
RC	River current
RCC	Rescue Coordination Centre (Local)
RFDS	Royal Flying Doctor Service
ROW	Rest of the World
RPAS	Remotely Piloted Aerial Systems (also known as drones, UAVs)
RV	Rescue Vessel
S	Track spacing
S	South latitude
SART	Search and Rescue Radar Transponder. Also known as 'Survival Craft Radar Transponder' or 'Radar Transponder'
SF	Signal Fade
SH	Signal Heard
S/V	Sailing vessel
SafetyNET	Communications service provided via Inmarsat-C for promulgation of maritime safety information, including shore-to-shop relays of distress alerts and communications for search and rescue coordination
SAR	Search and rescue
SAREX	Search and Rescue Exercise
SART	Search and Rescue Radar Transponder. Also known as a survival craft radar transponder or radar transponder
SC	Sea current
SDB	SAR Datum Buoys
SECURITE	The safety signal 'SECURITE' indicates that the station is about to transmit a message concerning the safety of navigation or providing an important meteorological warning. The safety message is preceded by the word 'SECURITE' spoken three times.
SEND	Satellite Emergency Notification Device
SES	State Emergency Service
SH	Search Headquarters
SITREP	Situation report
SLDMB	Self-Locating Datum Marker Buoy
SMC	Search and rescue mission coordinator
SOLAS	International Convention for the Safety of Life at Sea
SOPs	Standard Operating Procedures
SOS	Internationally recognized signal of distress, made by any method of signalling
SP	Splash point
SPOC	Search and rescue point of contact
SRA	Search and Rescue Asset (Aircraft, vessel, search team)
SRG	Short range

Acronym/ Abbreviation	Meaning
SRR	Search and rescue region
SRS	Single raft system
STOL	Short Takeoff and Landing
SURPIC	Surface picture
T	Time
T	Degrees True
T	Search time available
TAS	True air speed
TC	Tidal current
TCA	Time of closest approach
TELEX	Teletype
TFFS	Time Frame for Survival
TL	Team Leader
TWC	Total water current
u	Wind speed
UHF	Ultra-high frequency
ULR	Ultra-long range
USAR	Urban Search and Rescue (Collapsed Buildings)
UTC	Coordinated universal time
v	Speed of search object
V	SAR unit ground speed or aircraft true air speed
V	Velocity
Ve	Vegetation Correction Factor
VFR	Visual flight rules
VHF	Very high frequency
VLR	Very long range
VMC	Visual meteorological conditions
VMS	Vessel Monitoring System
VTS	Vessel Tracking System
w	Width
W	Corrected Sweep Width
W	West longitude
W/C	Wind current
W/V	Wind velocity
Wu	Uncorrected sweep width
Wx	Weather Factor

Acronym/ Abbreviation	Meaning
X	Search target position error
Y	Search unit position error
Z	Investigation Time

Glossary

Term	Definition
Aircraft Coordinator (ACO)	A person who coordinates the involvement of multiple aircraft in SAR operations.
Aerodrome Emergency Plan (AEP)	A plan preparing an aerodrome to cope with an emergency occurring at the aerodrome or in its vicinity, to minimise the effects of an emergency, particularly in respect of saving lives and maintaining aircraft operations.
Aeronautical drift (Da)	Drift caused by bailout trajectory or aircraft gliding distance.
Aeronautical position	Initial position of a distressed aircraft at the time of re-entry, engine failure, aircrew ejection or bailout.
Aircraft glide	Maximum ground distance an aircraft could cover during descent.
Alert Phase	A situation wherein apprehension exists as to the safety of an aircraft or marine vessel, and of the persons on board.
Alerting Post	Any facility intended to serve as an intermediary between a person reporting an emergency and a rescue coordination centre or rescue sub-centre.
ARGOS	A satellite-based location and data collection system.
Awareness Range	Distance at which a search scanner can first detect something different from its surroundings but not yet recognise it.
Awareness Stage	A period during which the SAR system becomes aware of an actual or potential incident.
Captain	Master of a ship or pilot-in-command of an aircraft, commanding officer of a warship or an operator of any other vessel.
Checksum Digit	A digit that is appended to a numeric data element and used to verify its accuracy. Checksum digits are computed by adding the digits of the data element.
Coast Earth Station (CES)	Maritime name for an Inmarsat shore-based station linking ship earth stations with terrestrial communications networks.
Conclusion	The permanent finalisation of active search activities, due to the matter being resolved.
Conclusion Stage	A period during a SAR incident when SAR facilities return to their regular location and prepare for another mission.
Coordination	The bringing together of organisations and elements to ensure effective search and rescue response. One SAR authority must always have overall coordination responsibility and other organisations are to cooperate with this agency to produce the best response possible within available resources.
Coordinated Search Pattern	Multi-unit pattern using vessel(s) and aircraft.
Coordinated Universal Time (UTC)	International term for time at the prime meridian.

Term	Definition
COSPAS-SARSAT System	An international satellite system designed to provide distress alert and location data from 406 MHz distress beacon signals.
Course	The intended horizontal direction of travel of a craft.
Coverage Factor (C)	For parallel sweep searches, Coverage Factor (C) is computed as the ratio of sweep width (W) to track spacing (S). $C = W/S$.
Craft	Any air or sea-surface vehicle, or submersible of any kind or size.
Datum	A geographic point, line, or area used as a reference in search planning.
Datum Area	Area where it is estimated that the search object is most likely to be located.
Datum Line	A line, such as the distressed target's intended track line or a line of bearing, which defines the centre of the area where it is estimated that the search object is most likely to be located.
Datum Point	A point, such as a reported or estimated position, at the centre of the area where it is estimated that the search object is most likely to be located.
Dead Reckoning (DR)	Determination of position of a target by adding to the last fix the target's course and speed for a given time.
Digital Selective Calling (DSC)	A technique using digital codes which enables a radio station to establish contact with, and transfer information to, another station or group of stations.
Direction of Current	Direction toward which a current is flowing. Also called set.
Direction of Waves, Well or Seas	Direction from which the waves, swells, or seas are moving.
Direction of Wind	Direction from which the wind is blowing.
Distress Phase	A situation wherein there is reasonable certainty that a vessel/aircraft, or person, is threatened by grave and imminent danger and requires immediate assistance.
Ditching	The forced landing of an aircraft on water.
Drift	The movement of a search object caused by environmental forces.
Drift Error (De)	See Total drift error.
Emergency Phase	Emergency phases are based on the level of concern for the safety of persons or target that may be in danger. The three levels of emergency are classified as Uncertainty, Alert, and Distress.
Electro-Optic/Infrared (EO/IR)	Electronic imaging systems which include both visible and infrared sensors that can be used day and night and in low light conditions with the ability to view objects at long distance.
Enhanced Group Call (EGC) System	The international broadcast of coordinated Maritime Safety Information and Search and Rescue related information, to a defined geographical area using a recognized mobile satellite service.
False Alarm	Distress alert initiated for other than an appropriate test, by communications equipment intended for alerting, when no distress situation actually exists.
False Alert	Distress alert received from any source, including communications equipment intended for alerting, when no distress situation actually exists, and a notification of distress should not have resulted.
Fetch	The distance over which the wind blows in a constant direction, without obstruction.
Field Search Coordinator	Term for SMC who coordinates land searches only.

Term	Definition
Field Search Headquarters	Land equivalent of a RCC
First RCC	RCC affiliated with the shore station that first acknowledges a distress alert, and which will accept responsibility for all subsequent SAR coordination unless and until coordination is transferred to another RCC.
Fix	A geographical position determined by visual reference to the surface, referencing to one or more radio navigation aids, celestial plotting, or other navigation device.
Forward Looking Infrared (FLIR)	An imaging system, mounted on board surface vessels or aircraft, designed to detect thermal energy (heat) emitted by targets and convert it into a visual display.
General Communications	Operational and public correspondence traffic other than distress, urgency and safety messages, transmitted or received by radio.
Global Maritime Distress and Safety System (GMDSS)	A global communications service based upon automated systems, both satellite-based and terrestrial, to provide distress alerting and promulgation of maritime safety information for mariners.
Global Navigation Satellite System (GNSS)	Worldwide position and time determination system that includes one or more satellite constellations and receivers.
Great Circle Route	The shortest course between two points on the surface of a sphere. It lies in a plane that intersects the sphere's centre.
Ground Speed (GS)	The speed an aircraft is making relative to the earth's surface.
Heading	The horizontal direction in degrees magnetic in which a target is pointed.
Hypothermia	Abnormal lowering of internal body temperature (heat loss) from exposure to cold air, wind or water.
Indicated Air Speed (IAS)	The aircraft speed shown on the air speed indicator gauge. IAS corrected for instrument error and atmospheric density equals true air speed.
Initial Position Error (X)	The estimated probable error of the initially reported position of a SAR incident.
Inmarsat Ltd	Formally the International Maritime Satellite Organisation
International Aeronautical and Maritime Search and Rescue (IAMSAR) Manual	A manual jointly published by the International Maritime Organization (IMO) and the International Civil Aviation Organization (ICAO) to assist global States in meeting their own SAR needs and obligations accepted under the <i>Convention on International Civil Aviation</i> , the <i>International Convention on Maritime Search and Rescue, 1979</i> and the <i>International Convention for the Safety of Life at Sea, 1974 (SOLAS)</i> . It provides guidance for a common and harmonised global aviation and maritime approach to organising and providing SAR services.
International Iridium SafetyCast Service	The coordinated broadcast and automatic reception of Maritime Safety Information and Search and Rescue related information via the Enhanced Group Call system, using the English language.
International Maritime Satellite Organisation (Inmarsat)	A system of geostationary satellites for worldwide mobile communications services, and which support the Global Maritime Distress and Safety System and other emergency communications systems.
Instrument Flight Rules (IFR)	Rules governing the procedures for conducting instrument flight. It is also a term used by pilots and controllers to indicate type of flight plan.
Instrument Meteorological Conditions (IMC)	Meteorological conditions expressed in terms of visibility, distance from cloud, and ceiling less than the minima specified for visual meteorological conditions.
Joint Rescue Coordination Centre (JRCC)	A rescue coordination centre responsible for both aeronautical and maritime search and rescue incidents.

Term	Definition
Knot (kt)	A unit of speed equal to one nautical mile per hour.
Last Known Position (LKP)	The Last Known Position is a term used in search planning to indicate the last known location of the person, marine craft or aircraft the target of a search and /or rescue mission. It is also known by its acronym LKP. The LKP may be a boat ramp where a small craft was launched, a reporting point or navigation aid where an aircraft last reported its position or the location where it can be confirmed a person was last sighted e.g., at the start of a walking track. The Last Known Position differs from the other term used in marine search planning of Splash Point or SP.
Leeway (LW)	The movement of a search object through water caused by winds blowing against exposed surfaces.
Land Earth Station (LES)	Land Earth Station (Inmarsat) – synonymous with CES
Local User Terminal (LUT)	An earth receiving station that receives beacon signals relayed by COSPAS-SARSAT satellites, processes them to determine the location of the beacons, and forwards the signals.
Maritime Safety Information (MSI)	Navigational and meteorological warnings, meteorological forecasts and other urgent safety-related messages broadcast to ships.
MAYDAY	The distress signal “MAYDAY” is used to indicate that a target or person is threatened by grave and imminent danger and requires immediate assistance. It has precedence over all other communications. The distress message is preceded by the word MAYDAY spoken three times. The word is pronounced 'Mayday' from the French m'aider (help me). Any subsequent messages including self-identification, position, nature of distress and other useful information, forms the distress message.
MEDEVAC	Evacuation of a person for medical reasons.
Meteorological Visibility	The maximum range at which a large object, such as landmasses or mountains, can be seen. Also referred to as Meteorological Range.
Mission Control Centre (MCC)	Part of the Cospas-Sarsat system that accepts alert messages from the local user terminal(s) and other mission control centres to distribute to the appropriate rescue coordination centres or other search and rescue points of contact.
Narrow-Band Direct Printing (NBDP)	Automated telegraphy, as used by the NAVTEX system and telex-over-radio.
NAVAREA	A geographical sea area established for the purpose of coordinating the broadcast of navigational warnings. The term NAVAREA followed by a roman numeral may be used to identify a particular geographical sea area.
NAVTEX	Telegraphy system for transmission of maritime safety information, navigation and meteorological warnings and urgent information to ships. NAVTEX is not provided in Australia - see SafetyNet.
Night Vision Imaging System	A self-contained binocular night vision enhancement device, usually including goggles, that: <ol style="list-style-type: none"> 1. is helmet mounted or otherwise worn by a person; and 2. can detect and amplify light in both the visual and near infrared bands of the electromagnetic spectrum. <p>NVIS is a term used to incorporate all of the aspects associated with night vision, including Night Vision Devices and Night Vision Goggles.</p>
On-scene	The search area or the actual distress site.

Term	Definition
On-scene Coordinator (OSC)	A person designated to coordinate search and rescue operations within a specified area
On-scene Endurance	The amount of time a facility may spend at the scene engaged in search and rescue activities.
Overall Coordination	The responsibility of the SAR authority to prosecute a SAR operation for a given target in accordance with Volume 1, Chapter 1, section 1.2, Appendix B or the SAR authority best placed to coordinate efforts of the response agencies that may become involved in a SAR action.
Overdue	A situation where a target has failed to arrive at its intended destination when expected and remains missing.
PAN-PAN	The international radiotelephony urgency signal. When repeated three times, indicates uncertainty or alert, followed by nature of urgency. The urgency signal "PAN PAN" is used to indicate that the calling station has a very urgent message to transmit covering the safety of a ship, aircraft or person. It has precedence over all other communications, except distress traffic. The urgency message is preceded by the words 'PAN PAN' spoken three times. The words are pronounced 'Pan Pan' from the French panne (a breakdown).
Pause	The temporary ceasing of active search activities, with the intention of resuming in the near future.
Personal Locator Beacon (PLB)	Personal radio distress beacon for alerting and transmitting homing signals.
Pilot-in-command	The pilot responsible for the operation and safety of the aircraft during flight time.
Planning Stage	A period during a SAR incident when an effective plan of operations is developed.
Position	A geographical location normally expressed in degrees and minutes of latitude and longitude.
Positioning	Process of determining a position that can serve as a geographical reference for conducting a search.
Possibility Area	(1) The smallest area containing all possible survivor or search object locations. (2) For a scenario, the possibility area is the smallest area containing all possible survivor or search object locations that are consistent with the facts and assumptions used to form the scenario.
Primary Swell	The swell system having the greatest height from trough to crest.
Probability Area	The area in which a missing target and/or survivors are most likely to be found taking into account possible errors in the navigation of the missing target and of the search craft.
Probability of Detection (POD)	The probability of the search object being detected, assuming it was in the areas that were searched. POD is a function of coverage factor, sensor, search conditions and the accuracy with which the search facility navigates its assigned search pattern. Measures sensor effectiveness under the prevailing search conditions.
Recognized Mobile Satellite Service	Any service which operates through a satellite system and is recognised by IMO for use in the GMDSS.
Rescue	An operation to retrieve persons in distress, provide for their initial medical or other needs, and deliver them to a place of safety.
Rescue Coordination Centre (RCC)	The centre from which a SAR incident is controlled and coordinated. The Centre is known by various terms such as the Rescue Coordination Centre, Major Incident Room, Operations Room, Base Station or Field Search Headquarters. For the

Term	Definition
	purposes of this manual these centres will be known generically as the Rescue Coordination Centre or RCC.
Rescue Subcentre (RSC)	A unit subordinate to a rescue coordination centre, established to complement the latter according to particular provisions of the responsible authorities.
Rhumb Line	A line of constant bearing that cuts meridians at the same angle. It is a straight line between two points on a Mercator projection chart.
SafetyNET	Communications service provided via Inmarsat-C for promulgation of maritime safety information, including shore-to-ship relays of distress alerts and communications for search and rescue coordination.
SAR Datum Buoy	Droppable floating beacon that is not self-locating requiring the beacon to be relocated by homing the frequency. Once relocated used to determine actual sea current, or to serve as a location reference.
Scenario	A consistent set of known facts and assumptions describing what may have happened to the survivors and/or target.
Sea	Condition of the surface resulting from waves and swells.
Sea Current (SC)	The residual current when currents caused by tides and local winds are subtracted from local current. It is the main, large-scale flow of ocean waters.
Search	An operation, normally coordinated by a rescue coordination centre, using available personnel and facilities to locate persons in distress.
Search and Rescue Asset (SRA)	An aircraft, vessel of search team with equipment suitable for the expeditious conduct of search and rescue operations.
Search and Rescue Authority	The authority within an Administration with overall responsibility for establishing and providing SAR services and ensuring that planning for those services is properly coordinated. The national SAR authority in Australia is the Australian Maritime Safety Authority with each of the States and Territories Polices services and the Department of Defence being the SAR Authorities within their jurisdictions. In Australia, the SAR Authority takes on the roles of the SAR Coordinator as described in the IAMSAR Manual.
Search Action Plan	Message, normally developed by the SMC, for passing instructions to SAR facilities and agencies participating in a SAR mission.
Search and Rescue Briefing Officer	An officer appointed, usually by the SMC, to brief departing SAR facilities and debrief returning SAR facilities.
Search and Rescue Case	Any potential or actual distress about which a facility opens a documentary file, whether or not SAR resources are dispatched.
Search and Rescue Coordinating Communications	Communications necessary for the coordination of facilities participating in a search and rescue operation.
Search and Rescue Facility	Any mobile resource, including designated search and rescue units, used to conduct search and rescue operations. The terms unit and asset maybe interchangeable with facility.
Search and Rescue Incident	Any situation requiring notification and alerting of the SAR system and which may require SAR operations.
Search and Rescue Liaison Officer	An officer assigned to promote coordination during a SAR mission.

Term	Definition
Search and Rescue Mission Coordinator (SMC)	The suitably trained or qualified official temporarily assigned to coordinate a response to an actual or apparent distress situation. In Australia, the acronym SARMC is also used in some jurisdictions. Throughout this manual, the terms SMC and SARMC are synonymous. Some jurisdictions also use the term A/SARMC to describe the SMC's assistants.
Search and Rescue Plan	A general term used to describe documents which exist at all levels of the national and international search and rescue structure to describe goals, arrangements, and procedures which support the provision of search and rescue services.
Search and Rescue Point of Contact (SPOC)	Rescue coordination centres and other established and recognised national points of contact that can accept responsibility to receive COSPAS-SARSAT alert data to enable the rescue of persons in distress.
Search and Rescue Region (SRR)	An area of defined dimensions, associated with the national rescue coordination centre (JRCC Australia), within which search and rescue services are provided.
Search and Rescue Service	The performance of distress monitoring, communication, coordination and search and rescue functions, including provision of medical advice, initial medical assistance, or medical evacuation, through the use of public and private resources, including cooperating aircraft, vessels and other craft and installations.
Search and Rescue Stage	Typical steps in the orderly progression of SAR missions. These are normally Awareness, Initial Action, Planning, Operations, and Mission Conclusion.
Search Area	The area determined by the search planner to be searched. This area may be subdivided into search sub-areas for the purpose of assigning specific responsibilities to the available search facilities.
Search Endurance (T)	The amount of "productive" search time available at the scene also known as Available Search Hours (ASH). This figure is usually taken to be 85% of the on-scene endurance, leaving a 15% allowance for investigating sightings and navigating turns at the ends of search legs.
Search Facility Position Error (Y)	Probable error in a search target's position, based on its navigational capabilities.
Search Object	A ship, aircraft, or other target missing or in distress or survivors or related search objects or evidence for which a search is being conducted.
Search Pattern	A procedure assigned to an SRA for searching a specified area.
Search Radius	The actual search radius used to plan the search and to assign search facilities. It is usually based on adjustments to the optimal search radius that are needed for operational reasons.
Secondary Swells	Swell systems of less height than the primary swell.
SECURITE	The safety signal 'SECURITÉ' indicates that the station is about to transmit a message concerning the safety of navigation or providing an important meteorological warning. The safety message is preceded by the word "SECURITE" spoken three times. The word is pronounced 'See-cure-e-tay' from the French sécurité.
Self-Locating Datum Marker Buoy	A droppable floating beacon that is self-locating. Used to determine actual sea current, sea surface temperature or to serve as a location reference.
SEND	SEND Satellite Emergency Notification Device. Mobile, personal distress alerting device that functions outside the COSPAS-SARSAT System (for example SPOT, Thuraya SatSleeve). SENDs use different satellite communication constellations e.g.

Term	Definition
	Iridium, Global star or Thuraya. Distress alert messages are received by the IERCC in Houston and relayed to the RCC as required.
Sensors	Human senses (sight, hearing, touch, etc.), those of specially trained animals (such as dogs), or electronic devices used to detect the object of a search.
Set	Direction towards which a current flows
Situation Report (SITREP)	Reports, from the OSC to the SMC or the SMC to interested agencies, to keep them informed of on-scene conditions and mission progress.
Splash Point	A term used in maritime search planning to indicate a known point of distress. Also referred to by its acronym SP.
SOS	Internationally recognised signal of distress, made by any method of signalling.
Surface Drift	Vector sum of total water current and leeway. Sometimes called Total Drift.
Surface Picture (SURPIC)	A list or graphic display from a ship reporting system of information about vessels in the vicinity of a distress situation that may be called upon to render assistance.
Surface Position	The position of the search object on the earth's surface at the time of initial distress, or its first contact with the earth's surface.
Suspension	The ceasing of active search activities, when the target is not found.
Sweep Width (W)	A measure of the effectiveness with which a particular sensor can detect a particular object under specific environmental conditions.
Swell	Condition of the surface caused by a distant wind system. The individual swell appears to be regular and smooth with considerable distance between rounded crests.
Swell Direction	The direction from which a swell is moving. The direction toward which a swell is moving is called the down swell direction.
Swell Face	The side of the swell toward the observer. The backside is the side away from the observer. These definitions apply regardless of the direction of swell movement.
Swell Velocity	Velocity with which the swells advance with relation to a fixed reference point, measured in knots.
Time of Closest Approach (TCA)	Time during a satellite pass when the satellite is closest to a signal source.
Total Drift Error (De)	Sum of the individual drift errors from the time of the incident until datum. Used when determining Total Probable Error (E).
Total Probable Error (E)	The estimated error in the datum position. It is the square root of the sum of the squares of the total drift error, initial position error, and search facility position error.
Total Water Current (TWC)	The vector sum of currents affecting search objects.
Track Spacing (S)	The distance between adjacent parallel search tracks.
Triage	The process of sorting survivors according to medical condition and assigning them priorities for emergency care, treatment, and evacuation.
True Air Speed (TAS)	The speed an aircraft is travelling through the air mass. TAS corrected for wind equals ground speed.
Uncertainty Phase	A situation wherein uncertainty exists as to the safety of an aircraft or a marine vessel, and of the persons on board.

Term	Definition
Unreported	A situation where a target has failed to report its location or status when expected and remains missing.
Vector	A graphic representation of a physical quantity or measurement, such as wind velocity, having both magnitude and direction.
Visual Flight Rules (VFR)	Rules governing procedures for conducting flight under visual meteorological conditions. In addition, used by pilots and controllers to indicate type of flight plan.
Visual Meteorological Conditions (VMC)	Meteorological conditions expressed in terms of visibility, distance from cloud, and ceiling equal to or better than specified minima.
Wave (or Chop)	The condition of the surface caused by local wind and characterised by irregularity, short distance between crests, whitecaps, and breaking motion.
Wind-Corrected Heading	The actual heading an aircraft is required to fly to make good an intended course.
Wind Current (WC)	The water current generated by wind acting upon the surface of water over a period of time.